

# ONSHORE WELL

LOCATION:  
**TEXAS / USA**



## WELL ID

Well 4 (Details confidential)

## DATE OF STIMULATION

2016-03-01

## HF – GENERATOR

5 kW

## PRODUCER

Confidential


## TOTAL STIMULATED LENGTH [ft]

18

## RESONATOR

TIT-76

Year of completion	2015
Total well depth [ft]	10290
Production methodology	Sucker Rod Pump
EOR methodology	Waterflood
Lithology at perforation depth	Porous Limestone
Temperature at perforation depth [Deg C]	70
Hydrostatic pressure at perforation depth [psi]	633
API grade	42
Well inclination at perforation depth [deg]	0
Casing OD at perforation depth [in]	5.5
Total stimulation time	5 hours



	PRIOR	AFTER
Water [BWPD]	20.9	22.2
Gas [MCFPD]	77.4	103.7

# WELL 4 – PRODUCTION


## Gas Production [Mcfpd]

----- Average Gas Production prior US Stimulation    - - - - Average Gas Production after US Stimulation



## Water Production [bpd]

----- Average Water Production prior US Stimulation



## Oil Production [bpd]

----- Average Oil Production prior US Stimulation    - - - - Average Oil Production after US Stimulation

